








MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE	NOTES
SINGLE PLATE						
BTICINO®	AXOLUTE	2 Modules	H4702	YES	FORM	In order to insert the H4702 2-module support into Ekinex® adapters, it is necessary to remove the side slots. Note: The H4702IT 2-module support is not compatible.
					FLANK	
					NF – No Frame	
					DEEP	
		3 Modules	H4703	YES	FORM	
					FLANK	
					NF – No Frame	
					DEEP	

MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES
SINGLE PLATE							
BTICINO®	LIVINGLIGHT	2 Modules		YES	FORM		In order to insert the LN4702 2-module support into Ekinex® adapters, it is necessary to remove the side slots.
					FLANK		
					NF – No Frame		
					DEEP		
					SURFACE		
		3 Modules		YES	FORM		
					FLANK		
					NF – No Frame		
					DEEP		

MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES		
SINGLE PLATE									
BTICINO®	LIVING NOW	2 Modules	-	NO	FORM				
					FLANK			-	-
					NF – No Frame				
					DEEP			-	-
					SURFACE			-	-
		3 Modules	-	NO	FORM				
					FLANK			-	-
					NF – No Frame				
					DEEP			-	-
					SURFACE			-	-



MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE	NOTES			
DOUBLE PLATE									
BTICINO®	AXOLUTE	2 Modules		H4702	YES	DOMESTIC SERIES COMPONENTS ONLY			
						FORM			
						FLANK	EK-P2E-...		71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).
						NF – No Frame			
						DEEP	EK-D2E -...		
						SURFACE	EK-S2E-...		
						EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS			
						FORM		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).	
						FLANK	EK-P2F-...		In order to insert the H4702 2-module support into Ekinex® adapters, it is necessary to remove the side slots. Note: The H4702IT 2-module support is not compatible.
						NF – No Frame			
		DEEP	EK-D2F -...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series devices + domestic series components). In order to insert the H4702 2-module support into Ekinex® adapters, it is necessary to remove the side slots. Note: The H4702IT 2-module support is not compatible.				
		SURFACE	EK-S2F -...						
		FORM		-		-			
		FLANK		-	-				
		NF – No Frame		-	-				
		DEEP		-	-				
		SURFACE		-	-				
		3 Modules	-		NO	FORM			
						FLANK			
						NF – No Frame			
DEEP									
SURFACE									

DOUBLE PLATE

BTICINO®	LIVINGLIGHT	2 Modules		YES	DOMESTIC SERIES COMPONENTS ONLY		
					FORM		
					FLANK	EK-P2E-...	
					NF – No Frame		
					DEEP	EK-D2E -...	
					SURFACE	EK-S2E-...	
					71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).		
					EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS		
					FORM		
					FLANK	EK-P2F-...	
					NF – No Frame		
					DEEP	EK-D2F -...	
SURFACE	EK-S2F -...						
71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).							
		3 Modules	-	NO	FORM	-	-
					FLANK	-	-
					NF – No Frame	-	-
					DEEP	-	-
					SURFACE	-	-

MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES
DOUBLE PLATE							
BTICINO®	LIVING NOW	2 Modules	-	NO	FORM	-	-
					FLANK	-	-
					NF – No Frame	-	-
					DEEP	-	-
					SURFACE	-	-
		3 Modules	-	NO	FORM	-	-
					FLANK	-	-
					NF – No Frame	-	-
					DEEP	-	-
					SURFACE	-	-





MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES	
SINGLE PLATE								
VIMAR®	EIKON	2 Modules		YES	FORM		In order to insert the 21603 2-module support into the EK-TAQ Ekinex® adapter, it is necessary to remove the side slots.	
					FLANK			EK-PQP-...
					NF – No Frame			
					DEEP			EK-DQP-...
					SURFACE			EK-SQP-...
		3 Modules		YES	FORM			
					FLANK		EK-PRG-...	
					NF – No Frame			
					DEEP		EK-DRG-...	







MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES
SINGLE PLATE							
VIMAR®	2 Modules	19603 	YES	FORM	EK-PQP-...		In order to insert the 19603 2-module support into Ekinex® adapters, it is necessary to remove the side slots.
				FLANK			
				NF – No Frame			
				DEEP	EK-DQP-...		
				SURFACE	EK-SQP-...		
	3 Modules	19613 	YES	FLANK			
				NF – No Frame			
				DEEP	EK-DRG-...		

MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES
--------------	-------	---------	---------------	--------	---------------	--	-------

SINGLE PLATE

VIMAR®	PLANA	2 Modules	-	NO	FORM		
					FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-
		3 Modules	-	NO	FORM		
					FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-



MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE	NOTES			
DOUBLE PLATE									
VIMAR®	EIKON	2 Modules		YES	DOMESTIC SERIES COMPONENTS ONLY				
					FORM				
					FLANK	EK-P2E-...		71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).	
					NF – No Frame				
					DEEP	EK-D2E -...			In order to insert the 21603 2-module support into the EK-TAQ Ekinex® adapter, it is necessary to remove the side slots.
					SURFACE	EK-S2E-...			
					EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS				
					FORM		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 series device + domestic series components).		
					FLANK	EK-P2F-...			
					NF – No Frame			In order to insert the 21603 2-module support into the EK-TAQ Ekinex® adapter, it is necessary to remove the side slots.	
					DEEP	EK-D2F -...			71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
					SURFACE	EK-S2F -...			
					3 Modules	-	NO	FORM	-
		FLANK	-	-					
		NF – No Frame	-	-					
		DEEP	-	-					
		SURFACE	-	-					






MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE	NOTES
DOUBLE PLATE						
VIMAR®	ARKE'	19603 2 Modules 	YES	DOMESTIC SERIES COMPONENTS ONLY		
				FORM		
				FLANK	EK-P2E-...	
				NF – No Frame		71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).
				DEEP	EK-D2E -...	
				SURFACE	EK-S2E-...	
				EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS		
				FORM		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
				FLANK	EK-P2F-...	
				NF – No Frame		In order to insert the 19603 2-module support into the EK-TAQ Ekinex® adapter, it is necessary to remove the side slots.
				DEEP	EK-D2F -...	
				SURFACE	EK-S2F -...	
				FORM	-	-
				FLANK	-	-
				NF – No Frame	-	-
		3 Modules	NO	DEEP	-	-
				SURFACE	-	-

DOUBLE PLATE

VIMAR®	PLANA	2 Modules	-	NO	FORM		
					FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-
		3 Modules	-	NO	FORM		
					FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-



SINGLE PLATE

GEWISS®	CHORUS	2 Modules	16822		YES	FORM		
						FLANK	EK-PQP-...	
						NF – No Frame		
						DEEP	EK-DQP-...	
						SURFACE	EK-SQP-...	
		3 Modules	16803		YES	FORM		
						FLANK	EK-PRG-...	
						NF – No Frame		
						DEEP	EK-DRG-...	

MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE	NOTES
DOUBLE PLATE						
GEWISS®	CHORUS	16822 2 Modules 	YES	DOMESTIC SERIES COMPONENTS ONLY		
				FORM		
				FLANK	EK-P2E-...	
				NF – No Frame		
				DEEP	EK-D2E -...	 71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).
				SURFACE	EK-S2E-...	
				EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS		
				FORM		
				FLANK	EK-P2F-...	 71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
				NF – No Frame		
				DEEP	EK-D2F -...	 71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
				SURFACE	EK-S2F -...	
		3 Modules	NO	FORM	-	-
				FLANK	-	-
				NF – No Frame	-	-
				DEEP	-	-
				SURFACE	-	-

SINGLE PLATE

FELLER®	EDIZIODUE	2 Modules	2711-87303		YES	FORM	EK-PQS-...		2711JK and 2711-8703-BSJK supports are not compatible.
			FLANK		+ EK-TAQ-CH				
			o	NO	NF – No Frame	-	-		
			2711	YES	DEEP	EK-DQS-...		2711JK and 2711-8703-BSJK supports are not compatible.	
					EK-TAQ-CH				
			NO	SURFACE	-	-			
		3 Modules	-	NO	FORM				
					FLANK	-	-		
					NF – No Frame				
					DEEP	-	-		
SURFACE	-				-				

MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE	NOTES
DOUBLE PLATE						
FELLER®	EDIZIODUE	2 Modules 	DOMESTIC SERIES COMPONENTS ONLY			
			YES	FORM	EK-P2S-... 	2711JK and 2711-8703-BSJK supports are not compatible.
				FLANK		
			NO	NF – No Frame	-	-
			YES	DEEP		2711JK and 2711-8703-BSJK supports are not compatible.
				SURFACE		
			NO	SURFACE	-	-
			EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS			
			YES	FORM	EK-P2S-... 	2711JK and 2711-8703-BSJK supports are not compatible.
				FLANK		
			NO	NF – No Frame	-	-
			YES	DEEP		2711JK and 2711-8703-BSJK supports are not compatible.
				SURFACE		
			NO	SURFACE	-	-
		3 Modules -	NO	FORM	-	-
				FLANK		
				NF – No Frame		
				DEEP		
				SURFACE		



MANUFACTURER	MODEL	SUPPORT	COMPATIBILITY	SERIES	EKINEX® PLATE		NOTES		
DOUBLE PLATE (SWITZERLAND)									
FELLER®	EDIZIODUE	2 Modules	+	YES	EK-SM2-CH_*	EK-P2C-...			
								FORM	*
								FLANK	A = 1 housing for Ekinex®® 20venti or 71 series device, 1 housing with double dovetail connection
									B = 2 housings for Ekinex®® 20venti or 71 series devices
									C = 1 housing for Ekinex®® 20venti or 71 series device, 1 housing with 120° triple connection
									D = 1 housing for Ekinex®® 20venti or 71 series device, 1 housing with 120° triple connection
									E = 2 housings with double dovetail connection
									F = 2 housing with 120° triple connection
									Versions A, B, C for VERTICAL mounting
									Versions D, E, F for HORIZONTAL mounting
		EK-SPECIAL-002		Note: Version B -> 123,6 X 60,6 mm window					

SINGLE PLATE

JUNG®	AS	2 Modules		YES	FORM		
					FLANK	EK-PQG-...	
					NF – No Frame		
					DEEP	EK-DQG-...	
					SURFACE	EK-SQG-...	
					FORM		
		3 Modules		NO	FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-



DOUBLE PLATE

DOMESTIC SERIES COMPONENTS ONLY

FORM		
FLANK	EK-P2P-...	
NF – No Frame		
DEEP	EK-D2P -...	
SURFACE	EK-S2P-...	

71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).

EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS

FORM		
FLANK	EK-P2G-...	
NF – No Frame		
DEEP	EK-D2G -...	
SURFACE	EK-S2G -...	

71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).

71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).

FORM	-	-
FLANK	-	-
NF – No Frame		
DEEP	-	-
SURFACE	-	-

2 Modules



YES

JUNG® AS

3 Modules

-



NO

SINGLE PLATE

JUNG®	A	2 Modules		YES	FORM		
					FLANK	EK-PQG-...	
					NF – No Frame		
					DEEP	EK-DQG-...	
					SURFACE	EK-SQG-...	
					FORM		
		3 Modules		NO	FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-

DOUBLE PLATE

DOMESTIC SERIES COMPONENTS ONLY


FORM			
FLANK	EK-P2P-...		
NF – No Frame			
DEEP	EK-D2P -...		71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).
SURFACE	EK-S2P-...		

2 Modules



YES

EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS

FORM			
FLANK	EK-P2G-...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
NF – No Frame			
DEEP	EK-D2G -...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
SURFACE	EK-S2G -...		

FORM	-	-
FLANK	-	-
NF – No Frame	-	-
DEEP	-	-
SURFACE	-	-

3 Modules

-



NO

SINGLE PLATE

MERTEN®	SYSTEM M	2 Modules		YES	FORM		
					FLANK	EK-PQG-...	
					NF – No Frame		
					DEEP	EK-DQG-...	
					SURFACE	EK-SQG-...	
					FORM		
		3 Modules	-	NO	FLANK	-	-
					NF – No Frame		
					DEEP	-	-
					SURFACE	-	-

DOUBLE PLATE

DOMESTIC SERIES COMPONENTS ONLY


FORM			
FLANK	EK-P2P-...		
NF – No Frame			
DEEP	EK-D2P -...		71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).
SURFACE	EK-S2P-...		

2 Modules



YES

EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS

FORM			
FLANK	EK-P2G-...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
NF – No Frame			
DEEP	EK-D2G -...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
SURFACE	EK-S2G -...		

FORM	-	-
FLANK	-	-
NF – No Frame	-	-
DEEP	-	-
SURFACE	-	-

3 Modules

-




NO

SINGLE PLATE

GIRA®	SYSTEM 55		2 Modules	YES	FORM		
					FLANK	EK-PQG-...	
					NF – No Frame		
					DEEP		
					EK-DQG-...		
					SURFACE	EK-SQG-...	
	3 Modules	-	NO	FORM			
				FLANK	-	-	
				NF – No Frame			
				DEEP	-	-	
SURFACE				-	-		

DOUBLE PLATE

DOMESTIC SERIES COMPONENTS ONLY


FORM			
FLANK	EK-P2P-...		
NF – No Frame			
DEEP	EK-D2P -...		71 mm centre-to-centre distance installation of two recessed round boxes (domestic series components only).
SURFACE	EK-S2P-...		

2 Modules



YES

EKINEX® 71 or 20Venti SERIES DEVICE + DOMESTIC SERIES COMPONENTS

FORM			
FLANK	EK-P2G-...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
NF – No Frame			
DEEP	EK-D2G -...		71 mm centre-to-centre distance installation of two recessed round boxes (Ekinex® 71 or 20Venti series device + domestic series components).
SURFACE	EK-S2G -...		

3 Modules

-

NO

FORM	-	-
FLANK	-	-
NF – No Frame	-	-
DEEP	-	-
SURFACE	-	-

GENERAL NOTES:

- All the data shown in the tables have been verified.
- Anything not expressly indicated in the tables may not be compatible and/or has to be verified.

In case of compatibility check requests, customers are required to send the domestic wiring devices for which verification is required to Ekinex®, complete with all related supports.